



FSC® FOREST MANAGEMENT PLAN

Kauri Forestry LP

Reporting Period: February 2024 – February 2029

Prepared by: Sally Moore
February 2024


Author
Signature



Author Name Sally Moore

Author Role Environmental Forester

Date Date




Reviewed By

Name Heather Arnold

Role Environmental Manager

Date Date



DISCLAIMER

This document has been prepared by PF Olsen Limited specifically for the purposes stated in the document and is for your information only. PF Olsen Limited has used reasonable endeavours to ensure that the data and any other information in the document including any estimates, quotes, valuations and analyses is based on reliable sources and, where applicable, industry appropriate methodology and software.

Although the information in this document is provided in good faith, PF Olsen Limited does not make any express or implied representations or give any warranties or guarantees as to the accuracy or completeness of the information. PF Olsen Limited does not accept liability for any claim, action, cost, loss or damage arising directly or indirectly from use or reliance on the information in this document and you agree to indemnify PF Olsen Limited against any losses, damages, costs, liabilities or expenses in relation to claims or disputes incurred as a result of you using or acting in reliance on the information in this document.

PF Olsen Limited
PO Box 1127 | Rotorua 3040 | New Zealand
T: 07 921 010 | info@pfolsen.com | nz.pfolsen.com

TABLE OF CONTENTS

DISCLAIMER.....	2
1. What is this Plan?	4
2. The Forest Land.....	5
3. Ecological Information.....	9
4. Cultural and Social Aspects	12
5. Regulations.....	15
6. Managing environmental risk.....	20
7. Commercial Plantation Estate.....	33
8. Harvesting Strategy.....	36
9. Indigenous Biodiversity.....	37
10. Other Special Values: Everything but the timber	47
11. Future Planning.....	48
Appendix 1: Forest Maps	49
Appendix 2: Legal Ownership	58
Appendix 3: Forest Neighbours.....	59
Appendix 4: NES-CF Red ESC Zone Monitoring.....	60
Appendix 5: Schedule of Ecological Management.....	64
Appendix 6: Public Access Maps.....	68

1. What is this Plan?

About this Plan

This **specific** forest management plan provides details about the following 8 forests owned by Kauri Forestry LP, referred to as Kauri Forestry:

Forest	District	Region
Caves	Whangarei	Northland
Manganui	Kaipara & Whangarei	Northland
Mangarata	Kaipara	Northland
Ngatieve	Far North	Northland
Opare	Far North	Northland
Piroa	Kaipara	Northland
Wairere North	Whangarei	Northland
Wheki	Whangarei	Northland

This plan is to be used in conjunction with the PF Olsen Standard FSC® forest management plan¹, which outlines the typical management applied to PF Olsen FSC Group Scheme forests. Where the forests are managed in a different way than described in the standard forest management plan, this is detailed within this plan, which takes precedence.

Foundation Principle

Craigmore Sustainables NZ Ltd (Craigmore) is the investment manager for Kauri Forestry LP. Kauri Forestry and Craigmore are committed to adopting the Forest Stewardship Council (FSC) Principles and meeting the FSC Criteria relevant to forest management. Both parties are committed to the PF Olsen FSC Group Scheme **SCS-FM/COC-400064** processes and associated documents. Craigmore seeks FSC certification on behalf of Kauri Forestry LP, to ensure that their forests are managed in an environmentally appropriate, socially beneficial, and economically viable manner and to obtain the best access opportunities to the local processing market which is seeking to source FSC® certified logs.

¹ <https://nz.pfolsen.com/site/pfolsen/ForestManagementPlan%20-%20Standard.pdf>

2. The Forest Land

Forest location

Forest	Location
Caves	Boyd Road, 10 km southwest of Ruakaka, 22km south of Whangarei
Manganui	Ararua and Bull Roads, 10 km north of Paparoa
Mangarata	Mangarata Block Road, 13 km east of Dargaville
Ngatieveke	Broadwood Road, 23 km southeast of Kaitaia
Opare	Lucas Road, 1 km south of Moerewa
Piroa	Dodd Road, 5 km north of Maungaturoto
Wairere North	Moore Road, 30 km northwest of Whangarei
Wheki	Baker Road, 19 km southwest of Whangarei

A location map is shown on the next page. Forest maps are shown in Appendix 1.

Forest Area²

Forest	Productive area (ha)	Natural indigenous reserve area (ha)	Planted indigenous reserve area (ha)	Total Forest Area (ha)
Caves	337.3	248.7		586
Manganui	861.9	196	15.3	1073.2
Mangarata	678.5	212.3		890.8
Ngatieveke	485.7	134.4	27.7	647.8
Opare	1239.8	238.6	42.1	1520.5
Piroa	203.7	31.6		235.3
Wairere North	633.7	107.4	2.1	743.2
Wheki	563.7	71.3	15.9	650.9
Total	5,004.30	1,240.30	103	6,347.70

² Area as at February 2024



Legal ownership

Appendix 2 shows the legal description of the land on which each forest is located.

Markets

Market/Export Port	Location	Market
Kerikeri		
Kaitaia	Between 30 – 80 km depending on log grades and forest.	Domestic
Moerewa	Max approx. 130km (Kaitaia)	
Waipapa		
Northport (Marsden Point)	45-60km (112 km Ngatieve)	Export

Topography & harvest system

Forest	Topography	Dominant harvest system
Caves	Rolling hill	Mechanised felling /Cable hauler /Ground based
Manganui	Steep / broken	Mechanised felling / Cable hauler
Mangarata	Rolling hill	Mechanised felling / Ground based
Ngatieve	Steep / broken	Mechanised felling / Cable hauler
Opape	Steep / broken	Mechanised felling / Cable hauler
Piroa	Rolling hill	Mechanised felling /Cable hauler /Ground based
Wairere North	Rolling -steep hill	Mechanised felling /Cable hauler /Ground based
Wheki	Steep / broken	Mechanised felling / Cable hauler

Altitude for all the properties is low, ranging from near sea level (approx. 50 m asl) to a maximum of around 300 m asl. In those forests with the highest areas, much of that land is natural indigenous vegetation reserves (see Section 9).

Almost the entire estate is landuse classification LUC 6 – suitable for forestry or dry stock farming.

Soil

Soils are predominantly Acid Brown, originating from weathering of parent material. More recent soils are in valley floors and lower valley sides. Generally, the soils are good for tree growth being not too wet nor drought prone in summer. High soil clay components do require management care during harvesting and earthworks in wet winter months, as deep soil disturbance can lead to sediment generation, including difficult to control fine colloidal suspension when in water.

Forest	Soil Class	Features
Caves	Albic Ultic	Well structured, strongly weathered.
	Acid Brown	Weathered from volcanics with iron oxides, acid, not waterlogged nor droughty.
Manganui	Acid Brown	
Mangarata	Acid Brown	Weathered from volcanics with iron oxides acid, not waterlogged nor droughty.
Ngatieveke	Acid Brown	
Opare	Yellow Ultic, Albi Ultic	Well structured, high clay, acid and leached, low nutrient, prone to surface erosion.
	Yellow Ultic, Albi Ultic,	Well structured, high clay, acid and leached, low nutrient, prone to surface erosion.
Piroa	Acid Brown	Weathered from volcanics with iron oxides, acid, not waterlogged nor droughty.
	Oxic Granular	Limited root depth, high clay, stable, slow permeability, moderate infiltration. Droughty.
Wairere North	Fluvial & Orthic Recent	Recent from river or erosion, weakly developed, high fertility, good water availability.
	Acid Brown	Weathered from volcanics with iron oxides acid, not waterlogged nor droughty.
Wheki		

Climate

- The Northland region experiences an orographic influenced climate.
- The location of the estate receives median rainfall of 1200–1500 mm per year with distinct winter maximums.
- The mean annual daytime temperature is around 15 ° Celsius with the least seasonal variation in New Zealand.
- The forest areas have mean daily temperatures at summer of approx. 21°C and 14°C in winters.
- Strong winds can occur, mainly in winter and spring and sometimes associated with degraded weather systems from the tropics which can bring heavy prolonged rainfall.

3. Ecological Information

Ecological Districts

The Kauri Forestry estate fall within the following Ecological Districts (EDs). Refer to following information about the EDs:

<https://www.doc.govt.nz/documents/science-and-technical/ecoregions1.pdf>

Forest	Ecological District 1	%	Ecological District 2	%
Ngatиеke	Maungataniwha	94	Hokianga	6
Wairere North	Tutamoe	83	Tangihua	17
Mangarata	Tangihua	100	-	
Manganui	Tangihua	100	-	
Wheki	Tangihua	100	-	
Piroa	Tangihua	59	Eastern Northland	41
Caves	Tangihua	45	Eastern Northland	55
Opare	Eastern Northland	100	-	

FSC requirement: Reserve Area % by Ecological District

The forests meet the FSC requirement of having at least 10% of their total forest area as indigenous reserves. There is no reserve shortfall in any forest.

Reserve areas³ in Kauri Forestry Estate

Forest	Productive area (ha)	Natural indigenous reserve area (ha)	Planted indigenous reserve area (ha)	Total Forest Area (ha)	% indigenous reserve
Caves	337.3	248.7		586	42.4
Manganui	861.9	196	15.3	1073.2	18.3
Mangarata	678.5	212.3		890.8	23.8
Ngatиеke	485.7	134.4	27.7	647.8	20.7
Opare	1239.8	238.6	42.1	1520.5	15.7
Piroa	203.7	31.6		235.3	13.4
Wairere North	633.7	107.4	2.1	743.2	14.7
Wheki	563.7	71.3	15.9	650.9	11.0
Total	5,004.30	1,240.30	103	6,347.70	19.5

³ Area as at February 2024

Threatened Environments Classification

Most of the natural indigenous vegetation reserves fall in the >30% remaining & <10% protected category. This category has a reasonable proportion of its original (pre-human) extent remaining today. However, of this area, little remains under the protection of public conservation land. Most of it lies on private land.

Threatened Environments Classification	< 10% remaining	10 – 20 % remaining	20 – 30 % remaining	> 30 % remaining & < 10 % protected	> 30 % remaining & 10 – 20 % protected	> 30 % remaining & > 20 % protected	Total Area* (ha)
Forest							
Caves		0.5	12.8	211.8	17.8	5.8	248.7
Manganui	2.4	24.1	0.2	126.1	0.5	42.7	196
Mangarata	0.4	91.8		120.1			212.3
Ngatieveke	1.4	1.5	2.8	95.6	13.8	19.3	134.4
Opare		21.7	25.9	190.4		0.6	238.6
Piroa		0.9	2.8	27.3	0.3	0.3	31.6
Wairere North	2.1	7		67.0		31.3	107.4
Wheki		19.4	0.5	51.1		0.3	71.3
Total area* (ha)	6.3	166.9	45	889.4	32.4	100.3	1,240.30

* area as at February 2024

4. Cultural and Social Aspects

Forest history

All the areas that make up the Kauri Forestry estate were originally farms. Around 250 hectares of Opare Forest was already under forest at the time of its acquisition and the areas that have been harvested and replanted are now into second and third rotations. It sits over an area of higher erodibility than the other areas, explaining its early afforestation. All the remaining forest blocks were mostly dry stock farmland with, in some cases, a presence of small plantation woodlots as well as areas of natural forest and scrubland.

As a matter of policy, Craigmore acquires farming properties for afforestation that are less suited to economic dry stock pastoral agriculture due to topography, erodibility and climatic factors. These are predominantly classed as landuse capability class (LUC) 6 &7⁴. Where there are better classes of land embedded within the properties, efforts are made, within practical constraints, to sub-divide, lease or otherwise use such areas for ongoing pastoral agriculture.

Current social profile

The predominant land use surrounding the Kauri Forestry estate is pastoral agriculture, plantation forestry or small-scale lifestyle/agriculture along with areas of conservation land or private non-productive reserves. The town of Moerewa lies within 1 km of the Opare Forest boundary.

There is a contribution to the local economy by way of added incremental employment from the forests throughout the forest rotation, including:

- Tree nurseries
- Planting and silviculture contractors
- Pest control operators
- Forest managers
- Quality control providers
- Forest inventory contractors
- Water quality monitoring service providers
- Roading contractors
- Harvesting and cartage contractors

⁴ NZ Land Use Classification System

Historic and archaeological sites

Records from the 'Archsite' web resource shows there are some historic sites within the boundaries of Caves, Opare and Piroa forests or within 1 km of the forest boundary. Operations will be undertaken in accordance with the requirements of the Heritage New Zealand Pouhere Taonga Act 2014 where there are recorded archaeological sites, otherwise accidental discovery protocols will apply should any new sites be discovered during operations.

Forest	Comment
Caves	6 recorded sites - 3 within productive boundaries. Sites marked and no-plant buffers established under archaeological advice ⁵ .
Manganui	No records
Mangarata	No records
Ngatиеke	No records
Opare	3 recorded sites - in reserve areas or rail corridor.
Piroa	1 recorded site - not planted, further mapping required
Wairere North	No records
Wheki	1 unrecorded site, not planted & requires archaeological survey

Tangata Whenua

The table below lists the Iwi Authorities associated with each forest area. Note: An area that encompasses the whole of Ngatиеke Forest is recorded as a 'Treaty Area of Interest' in the Far North Proposed District Plan⁶.

⁵ Archaeological Survey and Assessment of Caves Forest, Waipu, Northland; Northern Archaeological Research Ltd; November 2021.

⁶ https://farnorth.isoplan.co.nz/eplanning/property/9008414/0/64?_t=property

Forest	District	Iwi	Iwi Management Plan	Statutory Acknowledgements
Ngatieke	Far North	Te Rarawa		N
Opare	Far North	Ngāpuhi		N
Mangarata	Kaipara	Ngāti Whātua		N
Piroa	Kaipara	Ngāti Whātua Te Uri o Hau	Y ⁷	N
Manganui	Kaipara/ Whangarei	Ngāti Whātua		N
Caves	Whangarei	Ngātiwai	Y ⁸	N
Wairere North	Whangarei	Ngāpuhi		N
Wheki	Whangarei	Ngāpuhi		N

Tenure & resource rights

The Kauri Forestry estate is currently mostly freehold 'Fee Simple' land parcels. There is a small area of forest (approx. 6.6 ha) in Piroa Forest subject to a forestry right. The whole of Ngatieke Forest is recorded as a 'Treaty Area of Interest' in the Far North Proposed District Plan. There are no other known direct Iwi interests in any of the other forests and none anticipated. Access for customary use is managed through the PF Olsen permit system.

Neighbours

Appendix 3 lists the forest neighbours within 1 km of the forests' boundaries. Some of these parties will be consulted when operations are proposed in forest areas adjacent to their boundaries, both in terms of initial consultation preceding certification of these forests and specific operations that may cause potential for impacts such as noise, dust, shared road use and agrichemical application. In the case of the residents in the Moerewa town community, local newsletters and other media may be the only practical means of contact for the large number of residents.

⁷ <https://www.nrc.govt.nz/media/z5iipbv/te-uri-o-hau-environmental-management-plan-2011.pdf>

⁸ Te Iwi o Ngātiwai Iwi Environmental Policy Documents 2007

5. Regulations

National Environmental Standards for Commercial Forestry (NES-CF) Erosion Susceptibility Classification

The NES-CF regulations are generally based on the Erosion Susceptibility Classification (ESC) of the underlying land.

The table below shows the productive plantation area of each forest by the respective NES-CF ESC. A significant proportion of Opare Forest falls within the ESC 'High' and 'Very High' ESC zones.

Productive plantation area (ha) within each ESC Class

Forest	Low	Moderate	High	Very High	Total
Caves	295.8	39.8	1.7		366.4
Manganui	836.8	25.1			869.8
Mangarata	268.9	409.6			670.9
Ngatieveke	51.3	351.4	83.0		487.1
Opare	75.1	54.2	263.4	847.1	1,241.5
Piroa	166.7	3.9	33.1		203.7
Wairere North	50.1	267.2	316.3		633.6
Wheki	453.1	110.6			566.5
Total	2,197.8	1,261.8	697.6	847.1	5,004.3

Council RMA Plans

The Kauri Forestry estate falls under the jurisdiction of the Northland Regional Council and several District Councils.

Northland Regional Plan

- Forestry activities are generally controlled by the rules under the NES-CF which for most of the forests in the lower erosion risk (green and yellow ESC) means they are permitted activities subject to the NES-CF regulations.
- Resource consents will need to be obtained for some activities in the ESC red and orange zones, e.g., earthworks and harvesting.
- Although activities will be generally permitted, Regional Plan maps should be reviewed to ensure activities close to sensitive areas can be checked for any more stringent rules under the regional plan.
- Any burning or agrochemical operations will be subject to air and discharge rules in the Regional Plan.

District Plans

Far North District Plan

- Operative plan August 2009. New Proposed Plan July 2022 – not operative as of September 2023.
- Refer to the District Plan maps – Operative + Proposed

Kaipara District Plan

- Operative plan November 2013 – undergoing review
- Refer to the District Plan maps – Operative

Whangarei District Plan:

- Operative September 2022
- Refer to the District Plan maps⁹

⁹ <https://gismaps.wdc.govt.nz/GISMapsViewer/?map=e6e864d6944d43ea8065c2472e2b8242>

District Council Plan Zones and Overlays

Forest	District Council	Relevant zoning and overlays
Caves	Whangarei	Rural Production zone Indigenous vegetation on adjacent eastern property - Natural Open Space Eastern boundary - Outstanding Natural Landscape Native patch embedded in productive area- Outstanding Natural Feature
Manganui	Kaipara Whangarei	Rural Zone Rural Production Zone
Mangarata	Kaipara	Rural Zone Esplanade reserve - Reserve management unit along Manganui River
Ngatieveke	Far North	Rural Production Zone Indigenous reserves - Conservation / Outstanding Landscape Valley floors - Flood susceptible* Northern end - North Island Brown Kiwi* Part North end - Natural Open Space*
Opare	Far North	Rural Production Zone Valley floors - Flood Susceptible' Southern end - North Island Brown Kiwi*
Piroa	Kaipara	Rural Zone
Wairere North	Whangarei	Rural Production Zone Indigenous on adjacent western property - Natural Open Space Western boundary - Outstanding Natural Landscape Central valley - Flood Susceptible
Wheki	Whangarei	Rural Production Zone Central valley - Flood Susceptible

* Source: Far North Proposed Plan July 2022 – not operative as of September 2023.

If resource consents are required, consideration should be given to any relevant Iwi management plan. See section 'Associations with Tangata Whenua' and check with the consenting authority for iwi contacts or the presence of newly prepared plans.

Consents & Authorities held

Resource consents for Opare Forest covering the range of activities required for harvesting, roading quarrying and replanting on ESC red zone land have been obtained.

Consents and Authorities

Forest	Regional Council	Consent
Opare	Northland	<p>AUT.043475.01.05 - Harvesting, earthworks, stormwater discharge and quarrying.</p> <p>AUT.043475.06 - Replanting red zone land.</p> <p>AUT.044910.01.01 – Place and use culverts in the bed of unnamed tributaries of the Waiharakeke Stream.</p> <p>AUT.044910.02.01 – Divert unnamed tributaries of the Waiharakeke Stream.</p> <p>AUT.044910.03.01 – Remove existing culvert structures in the bed of unnamed tributaries of the Waiharakeke Stream.</p> <p>AUT.040723.01.01 – Afforestation and replanting of red zoned land.</p> <p>AUT.040723.02.01 – Mechanical land preparation of red and orange zoned land.</p>

Emissions Trading Scheme

The Kauri Forestry estate is managed in the NZ Emissions Trading Scheme (ETS). Most of the older age classes coming up for harvest are post-1989 forests registered under the stock change accounting system (see table below). Carbon units can be claimed up to harvest but must then be paid back down to the residual sequestered level of the harvested forest. Units can be re-earned if the forest is regrown.

There is a small area of pre-1990 forest in Opare Forest that earns no carbon credits. The area cannot be converted to a non-forest landcover unless the relevant carbon liability is met, via surrender of carbon credits or offsetting.

All the new and future productive areas will be registered under the 'averaging' accounting system. Under this system, carbon units can be claimed once, up to the average sequestration level for the Carbon Accounting Area (CAA), after which no more units are issued but no liabilities exist at harvest provided the area is replanted.

Eligible indigenous forest areas will be registered under permanent forestry (stock-change accounting).

Forest	*Area (ha)	ETS Status	Comment
Opare	113.5	Pre 1990	CCRA Notice
	869.8	Post 89	Registered in ETS
Piroa	7.2	Pre 1990 exempt	CCRA Notice
Wairere North	620.2	Post 89	Registered in ETS

* Area as at February 2024. Areas are provisional figures- some are subject to ETS mapping standards and final approval by Te Uru Rakau. Figures will change as more post-1989 areas are registered.

6. Managing environmental risk

Assessment of environmental risks

Refer to the Standard FSC Forest Management Plan.

NES-CF Red ESC Zone Monitoring

Under the updated FSC Forest Stewardship Standard for New Zealand (FSC-STD-NZL-02-2023 Plantations EN), there now requirements around the use, management and monitoring of plantation forests on Red ESC zone land. The table below identifies the areas of each of Kauri Forestry's forests affected by the updated standard. Appendix 4 contains details of each forest's Red ESC areas, as well as monitoring and management activities.

Forest	Area of Red ESC (ha)	Total Productive Area (ha)	Percentage of Forest affected
Opare	796.8	1,1961.1	67%

Local infrastructure and community risk

The following table outlines key infrastructure and community assets in the vicinity of the forest, with a focus on their relationship to forestry operations and potential exposure to natural hazards. An assessment of natural hazard risks affecting infrastructure, forest resources, and neighbouring communities is provided in the Standard Forest Management Plan.

Caves Forest

Asset	Description	Forestry-specific impacts	Specific mitigations to reduce risk	Asset contact details
Public roads	Waipu Caves Road runs through and adjacent to the north of the forest.	Windthrown trees, landslides or flooding could block the road and/or cause harm to road users.	Contact the district council to report any hazards affecting public roads.	Whangarei District Council Ph 0800 932 463
Powerlines	Powerlines run adjacent to the northeast boundary, along Boyd Road.	Windthrown trees or landslides could damage/break the powerlines and disrupt downstream users. Forest fire affecting powerlines and electricity supply to users.	Observe afforestation/replanting setbacks from powerlines in NES-CF and district plans. Contact the network provider to report any trees or landslides affecting powerlines. Emergency procedures for fire implemented. Compliance with FENZ fire prevention and management.	Northpower Ph 0800 667 847
Neighbours	Nil			

Manganui Forest

Asset	Description	Forestry-specific impacts	Specific mitigations to reduce risk	Asset contact details
Public roads	Ararua Road runs along the western boundary. Bull Road runs through the middle of the forest. Taylor Road runs through the northern block of the forest.	Windthrown trees, landslides or flooding could block the road and/or cause harm to road users.	Contact the district council to report any hazards affecting public roads.	Kaipara District Council Ph 0800 727 059
Powerlines	Powerlines run along the western boundary and through the forest. Powerlines run through the middle of the forest. Powerlines run through the forest near the northern boundary.	Windthrown trees or landslides could damage/break the powerlines and disrupt downstream users. Forest fire affecting powerlines and electricity supply to users.	Observe afforestation/replanting setbacks from powerlines in NES-CF and district plans. Contact the network provider to report any trees or landslides affecting powerlines. Emergency procedures for fire implemented. Compliance with FENZ fire prevention and management.	Northpower Ph 0800 667 847
Telephone lines	Telephone lines run through the forest near Bull Road (above ground), and through the forest near the northern boundary (buried).	Windthrown trees or landslides could damage/break the telephone lines and disrupt downstream users. Forest fire affecting lines and telephone supply to users. Forestry activities (e.g. harvesting/earthworks/land	<u>Beforeudig.co.nz</u> is a free service- request plans that show where network cables are located underground before you start works. Ensure all services are shown on operational maps with appropriate setbacks.	Chorus Ph 0800 463 896

		prep) could damage/break the cable.	Contact the network provider to report any trees or landslides affecting telephone lines. Emergency procedures for fire implemented. Compliance with FENZ fire prevention and management.	
Water pipelines	Water pipelines run through the northern block of the forest, including a section along Taylor Road.	Windthrown trees or landslides could damage/break the water pipelines and disrupt downstream users. Forest fire affecting water supply to users. Forestry activities (e.g. harvesting/earthworks/land prep) could damage/break the cable.	Contact the neighbouring farmer to report any trees or landslides affecting water pipelines lines. Emergency procedures for fire implemented. Compliance with FENZ fire prevention and management.	Neighbouring farmer-beef unit on Taylor Road ¹⁰ .
Neighbours	Dwelling near forest boundary on Bull Road.	Windthrown trees could damage boundary fences and neighbouring properties.	Observe afforestation/replanting setbacks from boundaries in NES-CF and district plans.	Google Maps Plus Code: 25CR+5C7 Waiotira
	Dwelling near forest boundary on Bull Road.	Fire spreading from forest to neighbouring properties, or vice versa.	Emergency procedures for fire implemented. Compliance with FENZ fire prevention and management.	Google Maps Plus Code: 258P+MR2 Waiotira
	Dwelling near forest boundary on Bull Road.			Google Maps Plus Code: 255R+24X Paparoa

¹⁰ The PF Olsen Northland office holds the contact details for the owners.

Mangarata Forest

Asset	Description	Forestry-specific impacts	Specific mitigations to reduce risk	Asset contact details
Public roads	Mangarata Block Road runs through the middle of the forest.	Windthrown trees, landslides or flooding could block the road and/or cause harm to road users.	Contact the district council to report any hazards affecting public roads.	Kaipara District Council Ph 0800 727 059
Powerlines	Powerlines run through the middle of the forest.	Windthrown trees or landslides could damage/break the powerlines and disrupt downstream users. Forest fire affecting powerlines and electricity supply to users.	Observe afforestation/replanting setbacks from powerlines in NES-CF and district plans. Contact the network provider to report any trees or landslides affecting powerlines. Emergency procedures for fire implemented. Compliance with FENZ fire prevention and management.	Northpower Ph 0800 667 847
Neighbours	Dwelling surrounded by the forest at 426 Mangarata Block Road.	Windthrown trees could damage boundary fences and neighbouring properties.	Observe afforestation/replanting setbacks from boundaries in NES-CF and district plans.	Google Maps Plus Code: 327C+MV2 Arapohue
	Sheds near forest boundary at 290 Mangarata Block Road.	Fire spreading from forest to neighbouring properties, or vice versa.	Emergency procedures for fire implemented. Compliance with FENZ fire prevention and management.	Google Maps Plus Code: 32GF+G39 Arapohue
	Sheds near forest boundary on Mangarata Block Road.			Google Maps Plus Code: 32QJ+C4G Arapohue

Ngatike Forest

Asset	Description	Forestry-specific impacts	Specific mitigations to reduce risk	Asset contact details
Public roads	Broadwood Road (Twin Coast Discovery Highway) runs along the northern boundary of the forest. Kohukohu Road runs along the eastern boundary.	Windthrown trees, landslides or flooding could block the road and/or cause harm to road users.	Contact the district council to report any hazards affecting public roads.	Far North District Council Ph 0800 920 029
Powerlines	Powerlines run along the northern and western boundary of the forest.	Windthrown trees or landslides could damage/break the powerlines and disrupt downstream users. Forest fire affecting powerlines and electricity supply to users.	Observe afforestation/replanting setbacks from powerlines in NES-CF and district plans. Contact the network provider to report any trees or landslides affecting powerlines. Emergency procedures for fire implemented. Compliance with FENZ fire prevention and management.	Top Energy Ph 0800 867 363
Neighbours	Dwelling close to forest boundary at 466 Broadwood Road.	Windthrown trees could damage boundary fences and neighbouring properties.	Observe afforestation/replanting setbacks from boundaries in NES-CF and district plans.	Google Maps Plus Code: PCPO+9WP Broadwood
	Dwelling near forest boundary at 373 Broadwood Road.		Emergency procedures for fire implemented. Compliance with FENZ fire prevention and management.	Google Maps Plus Code: PCM+RPP Broadwood

	Dwelling near forest boundary on Broadwood Road.	Fire spreading from forest to neighbouring properties, or vice versa.		Google Maps Plus Code: <u>PFP9+V25 Mangamuka</u>
--	--	---	--	---

Opare Forest

Asset	Description	Forestry-specific impacts	Specific mitigations to reduce risk	Asset contact details
Public roads	Heights Road runs through the small northern block.	Windthrown trees, landslides or flooding could block the road and/or cause harm to road users.	Contact the district council to report any hazards affecting public roads.	Far North District Council Ph 0800 920 029
Railway lines	Railway line runs along a small section of the western boundary.	Windthrown trees, landslides or flooding could block the railway line and/or cause harm to users.	Observe afforestation/replanting setbacks from boundaries in NES-CF and district plans. Contact KiwiRail to report any hazards affecting railway lines.	KiwiRail Ph 0800 808 400
Powerlines	Powerlines run up to the northern boundary on Opare Road.	Windthrown trees or landslides could damage/break the powerlines and disrupt downstream users. Forest fire affecting powerlines and electricity supply to users.	Observe afforestation/replanting setbacks from powerlines in NES-CF and district plans. Contact the network provider to report any trees or landslides affecting powerlines. Emergency procedures for fire implemented. Compliance with FENZ fire prevention and management.	Top Energy Ph 0800 867 363

Neighbours	Dwelling close to forest boundary at 27 Kingi Road.	<p>Windthrown trees could damage boundary fences and neighbouring properties.</p> <p>Fire spreading from forest to neighbouring properties, or vice versa.</p>	Observe afforestation/replanting setbacks from boundaries in NES-CF and district plans.	Google Maps Plus Code: H2X3+F7C Moerewa
	Dwelling near forest boundary at 143 Lucas Road.		Emergency procedures for fire implemented. Compliance with FENZ fire prevention and management.	Google Maps Plus Code: J23C+GC4 Moerewa
	Otiria Marae near forest boundary on Kingi Road.			Google Maps Plus Code: J223+8M5 Moerewa

Piroa Forest

Asset	Description	Forestry-specific impacts	Specific mitigations to reduce risk	Asset contact details
Public roads	Nil.			
Powerlines	Nil.			
Neighbours	Dwelling close to forest boundary on Dodd Road.	<p>Windthrown trees could damage boundary fences and neighbouring properties.</p> <p>Fire spreading from forest to neighbouring properties, or vice versa.</p>	<p>Observe afforestation/replanting setbacks from boundaries in NES-CF and district plans.</p> <p>Emergency procedures for fire implemented. Compliance with FENZ fire prevention and management.</p>	Google Maps Plus Code: W9P6+JC4 Maungaturoto

Wairere North Forest

Asset	Description	Forestry-specific impacts	Specific mitigations to reduce risk	Asset contact details
Public roads	Moore Road runs along the northeastern boundary.	Windthrown trees, landslides or flooding could block the road and/or cause harm to road users.	Contact the district council to report any hazards affecting public roads.	Whangarei District Council Ph 0800 932 463
Powerlines	Nil.			
Neighbours	Dwelling close to forest boundary 481 Moore Road.	Windthrown trees could damage boundary fences and neighbouring properties. Fire spreading from forest to neighbouring properties, or vice versa.	Observe afforestation/replanting setbacks from boundaries in NES-CF and district plans. Emergency procedures for fire implemented. Compliance with FENZ fire prevention and management.	Google Maps Plus Code: 8XXX+F9H Pipiwai

Wheki Forest

Asset	Description	Forestry-specific impacts	Specific mitigations to reduce risk	Asset contact details
Public roads	State Highway 14 runs along the middle of the forest. Baker Road runs along part	Windthrown trees, landslides or flooding could block the road and/or cause harm to road users.	Contact the district council to report any hazards affecting public roads.	Whangarei District Council Ph 0800 932 463

	of the northern boundary. Otuhi Road runs along the southwestern boundary.			
Fibre optic cable	Underground fibre optic cable runs through forest from State Highway 14 to Baker Road.	Windthrown trees or landslides could damage/break the cable and disrupt downstream users. Forest fire affecting cable and supply to users. Forestry activities (e.g. harvesting/earthworks/land prep) could damage/break the cable.	Contact the network provider to report any trees or landslides potentially affecting the cable. <u>Beforeudig.co.nz</u> is a free service- request plans that show where network cables are located underground before you start works. Ensure all services are shown on operational maps with appropriate setbacks. Emergency procedures for fire implemented. Compliance with FENZ fire prevention and management.	Northpower Ph 0800 667 847
Powerlines	Powerlines run along the southwestern boundary, and through the middle of the forest from east to west.	Windthrown trees or landslides could damage/break the powerlines and disrupt downstream users. Forest fire affecting powerlines and electricity supply to users.	Observe afforestation/replanting setbacks from powerlines in NES-CF and district plans. Contact the network provider to report any trees or landslides affecting powerlines. Emergency procedures for fire implemented. Compliance with FENZ fire prevention and management.	Northpower Ph 0800 667 847
Neighbours	Dwelling close to forest boundary on Otuhi Road.		Observe afforestation/replanting setbacks from boundaries in NES-CF and district plans.	Google Maps Plus Code: <u>54M8+H43 Wheki Valley</u>

Dwelling close to forest boundary on Otuhi Road.	<p>Windthrown trees could damage boundary fences and neighbouring properties.</p> <p>Fire spreading from forest to neighbouring properties, or vice versa.</p>	<p>Emergency procedures for fire implemented. Compliance with FENZ fire prevention and management.</p>	Google Maps Plus Code: 54M8+GJP Wheki Valley
Dwelling close to forest boundary on Otuhi Road.			Google Maps Plus Code: 54M8+88P Wheki Valley
Dwelling close to forest boundary at 882 Otuhi Road.			Google Maps Plus Code: 54JC+H9H Wheki Valley
Dwelling close to forest boundary on Otuhi Road.			Google Maps Plus Code: 54MF+X47 Wheki Valley
Dwelling close to forest boundary at 2362 State Highway 14.			Google Maps Plus Code: 54R4+58G Wheki Valley

Pests and diseases

The Northland Regional Pest Management Plan 2017–2027 includes plant and animal pest species that are or may be present in the forest¹¹ or within the pasture areas to be afforested.

Pasture-based plant pest species may be suppressed under a forest canopy. Machine hygiene practices should be used to prevent spread from properties where identified pests are present.

Pest animal species are common throughout the region. These are likely to need periodic control both for commercial reasons and ecological reasons in the natural indigenous reserve areas.

A full list of species and a description of the control programmes can be found online at: [Regional Pest Management Plan | Northland Regional Council](https://consult-nrc.objective.com/portal/biosecurity/rpmp/rpmp?pointId=2010825)

Plant pests

Plant pest species noted within the Kauri Forestry estate includes the following. Those that fall under the RPMP have the specific programme noted in brackets, or NPPA which refers to the National Plant Pest Accord:

- Woolly nightshade (Sustained control)
- Wilding conifer (Sustained control)
- Kahili ginger (Sustained control)
- Broom (Sustained control)
- Gorse (Sustained control)
- Pampas
- Blackberry
- Willow
- Glyceria
- Cotoneaster (Sustained control)
- Elephant's ear (Sustained control)
- Jasmine (Sustained control)
- Willow-leaved hakea (Sustained control)
- Chinese privet (Sustained control)
- Queen of the night (Sustained control)
- Agapanthus (Sustained control)
- Tree privet (Sustained control, NPPA)

¹¹ <https://consult-nrc.objective.com/portal/biosecurity/rpmp/rpmp?pointId=2010825>

- Jerusalem cherry
- Japanese honeysuckle (NPPA)
- Moth plant (NPPA)
- Climbing asparagus (NPPA)
- Smilax (NPPA)
- African clubmoss (NPPA)
- Tradescantia (NPPA)
- Blue morning glory (NPPA)

Animal pests

The following animal pests have been sighted, or they are highly likely to be present. Those that fall under the RPMP have the specific programme noted in brackets:

- Feral goat (Sustained control)
- Possum (Sustained control)
- Feral pig (Sustained control)
- Feral cat (Sustained control)
- Rat (Sustained control)
- Mouse
- Mustelids (Sustained Control)
- Rabbit and hare (Sustained control)
- Rainbow skink
- Goldfish
- Gambusia

Diseases

- Kauri dieback (Sustained control)
 - Apply national protocols¹² for management of kauri dieback disease (*Phytophthora agathidicida*) if there is a possibility of activity or soil disturbance nearby (e.g., at plantation and reserve boundary interfaces).
 - Consideration should also be applied to new planting boundaries given the eventual intent of roading and harvesting.

¹² <https://www.kauriprotection.co.nz/assets/Documents-PDFs/Best-Practice-Guides/Guide-Land-disturbance-activities-around-kauri.pdf>

Fire

All the Kauri Forestry Estate is within the Fire and Emergency NZ (FENZ) Northland Zone¹³. The plan references the thresholds for fire restriction levels and the coordination of forestry risk management responses between forest owners/managers and FENZ.

7. Commercial Plantation Estate


Current crop and afforestation

Of the total Kauri Forestry productive estate of 5,004.3 ha:

- 315 ha is established in maturing or mature (18 years old plus) trees, mostly in Opare Forest.
- 4,603.1 ha is younger plantings aged between 0 and 10 years.


Significant afforestation is planned for the Kauri Forestry estate during the life of this plan.

Forest area by planting year




¹³ <https://www.fireandemergency.nz/assets/Documents/fire-plan/Northland-Fire-Plan-2021-2024-approved.pdf>

Forest area by crop age



The plantations are predominantly radiata pine. This species exhibits excellent growth and structural quality in the region, has a proven record (including in relation to disease risk), has large local domestic processing demand, and as well, has proximity to an export port. Other species are being planted primarily for non-timber purposes such as riparian protection and erosion control.

Planted area¹⁴ by species



Tending

Of the older age-class radiata stands, 169 ha are managed under a thinned but unpruned structural regime. The balance is clearwood thinned and pruned stands.

The tending regime for all recent and future planted stands will be reviewed in relation to the most appropriate silvicultural regime as they reach the applicable age. At this point the expectation is that most or all stands will be tended according to a structural (thin only) regime, with roadside pruning.

Tree nutrition

Apart from Opare the soils are not generally seen to be deficient in nutrients for healthy tree growth. The soil will have residual fertility from past farming fertiliser applications that will be

¹⁴ Area as at February 2024. NB doesn't include cutover / area awaiting replanting where species has not yet been allocated.

in excess of normal requirements for tree growth. Opare has the potential to be marginal for phosphate, especially once the historical quick-release farming fertilisers are depleted. If deficiency is detected, a once-per-rotation application of slow-release Rock Phosphate is known to be effective on similar soils.

8. Harvesting Strategy

Harvesting strategy

The optimum harvest age for *Pinus radiata* is around 27 years old. The actual age of harvest will be subject to many variables.

Over the next 5 years, harvesting is planned for the remaining older age classes (mainly 22 to 30 years) in Opare Forest.

Infrastructure

Basic infrastructure is mostly in place throughout the estate, with the utilisation of the existing farm track network. Prior to harvesting, infrastructure maintenance and upgrades will be required.

9. Indigenous Biodiversity

Natural indigenous vegetation reserves

Natural indigenous vegetation reserves are the areas of naturally occurring indigenous vegetation within each forest that have been identified as part of the ecological survey. These areas are not all legally protected but are managed to meet the FSC Principles and Criteria.

Appendix 5 shows the ecological management plan for the Kauri Forestry estate.

Natural indigenous vegetation reserve areas by protection category

Forest	Special	Full	Limited	Passive	Other	Total* (ha)
Caves		90	38.9	119.8	0	248.7
Manganui		40.9	62.4	77.5	15.2	196
Mangarata		101.4	65	42.1	3.8	212.3
Ngatieve	72.2	11.4	5.4	45.4	0	134.4
Opāre		51.4	51.1	132.7	3.4	238.6
Piroa		1.4	12.4	17.1	0.7	31.6
Wairere North		3.3	47.5	53.2	3.4	107.4
Wheki		51.4	7.4	12.5	0	71.3
Total* (ha)	72.2	351.2	290.1	500.3	26.5	1,240.3

* Area as at February 2024

Protection granted to the natural indigenous vegetation reserves

Forest	SNA ¹⁵ (ha)	QEII Covenant (ha)	NZ Forest Accord (ha)	PNA ¹⁶ (ha)	Management plan (ha)	Total (ha)
Caves	74.1		17.4	57.7	99.5	248.7
Manganui			91.2	50.8	54	196
Mangarata		17.7	62.6	78.4	53.6	212.3
Ngatieveke	80.8		29.1		24.5	134.4
Opare	51.1		171.5		16	238.6
Piroa			3.3	13.8	14.5	31.6
Wairere North			51.8		55.6	107.4
Wheki	*8.5	*8.5	10	42.9	9.9	71.3
Total (ha)	*214.5	*26.2	436.9	243.6	327.6	1,240.3

* Wheki area of 8.5 ha is both QEII covenant and SNA area. As a result, area totals do not add up accordingly.

High Conservation Value (HCV) Forests

Natural areas within the Kauri Forestry estate were assessed against the HCV criteria. None met the criteria for HCV status (2023 Wildland Consultants report¹⁷).

¹⁵ Significant Natural Areas (SNAs) are areas that contain significant indigenous vegetation and/or significant habitats of indigenous fauna. SNAs are identified by the local territorial authority and protected by the Resource Management Act 1991.

¹⁶ Protected Natural Area- indigenous areas worthy of protection as identified in the Protected Natural Areas Programme surveying from 1981, under the Reserves Act 1977.

¹⁷ Wildlands. (2023). Natural area survey and Assessment of High Conservation Value Areas of Craigmore Forests, Northland. Contract Report No. 6691.

Biodiversity values by forest

Forest	Flora	Fauna present or highly likely
	<p>Overview</p> <p>Mostly regenerating secondary indigenous forest types such as tōtara-rewarewa-taraire/kānuka-(rimu)-[miro] forest, kahikatea-tōtara forest, rimu-kauri-tōtara-rewarewa forest, and tōtara-karaka-(pūriri) forest. These vegetation and habitat types are representative of conifer-broadleaved species forest which has been greatly reduced in extent within Waipu Ecological District.</p> <p>Threatened flora</p> <ul style="list-style-type: none"> Kānuka* (Threatened-Nationally Vulnerable) Akatea* (<i>Metrosideros perforata</i>; Threatened-Nationally Vulnerable) White rātā* (<i>Metrosideros diffusa</i>; Threatened-Nationally Vulnerable) Climbing rātā* (<i>Metrosideros fulgens</i>; Threatened-Nationally Vulnerable) Kauri~ (<i>Agathis australis</i>; Threatened-Nationally Vulnerable) <p>Ecological values</p> <ul style="list-style-type: none"> Two PNAs within forest- Waipu Caves Forest (Q07/118) and North River Forest (Q07/117). Outstanding Natural Feature – Waipu Caves and Karst falls within c.3 ha of SECF-08. Outstanding Natural Landscape 'North River and Waipu Caves forest and remnants' falls within reserves on eastern boundary. Adjacent to QEII covenant and DOC Scenic Reserves. 	<p>Bats</p> <ul style="list-style-type: none"> Long-tailed bat (Threatened- Nationally Critical) <p>Birds</p> <ul style="list-style-type: none"> Black shag/kawau (At Risk- Relict) Little black shag/kawau tūī (At Risk- Naturally Uncommon) Little shag/kawau paka (At Risk- Relict) Marsh crake/koitareke (At Risk- Declining) NZ pipit/pīhoihoi (At Risk- Declining) North Island fernbird/mātātā (At Risk- Declining) <p>Fish</p> <ul style="list-style-type: none"> Longfin eel (At Risk- Declining) Torrentfish (At Risk- Declining) Inanga (At Risk- Declining) Freshwater mussel (At Risk- Declining) <p>Herpetofauna</p> <ul style="list-style-type: none"> Hochstetter's frog (At Risk- Declining) Copper skink (At Risk- Declining) <p>Invertebrates</p> <ul style="list-style-type: none"> Kauri snail (At Risk- Declining)
Caves		

* Threat classification elevated as precautionary measure due to myrtle rust susceptibility

~ Threat classification listed as Threatened – Nationally Vulnerable due to the impacts of kauri dieback *Phytophthora agathidicida*

Forest	Flora	Fauna present or highly likely
Manganui	<p>Overview Mostly regenerating secondary indigenous forest types such as tōtara-taraire-(rewarewa)-(kahikatea) forest, kahikatea-tōtara-(matai)/[tītoki] forest, tōtara-(tānekaha)-(taraire)-(pūriri) forest, and (tōtara)-(rewarewa)/taraire/kohekohe forest. These vegetation and habitat types are representative of conifer-broadleaved species forest which has been greatly reduced in extent within Tokatoka Ecological District.</p> <p>Threatened flora</p> <ul style="list-style-type: none"> Kānuka* (Threatened-Nationally Vulnerable) Akatea* (<i>Metrosideros perforata</i>; Threatened-Nationally Vulnerable) White rātā* (<i>Metrosideros diffusa</i>; Threatened-Nationally Vulnerable) Climbing rātā* (<i>Metrosideros fulgens</i>; Threatened-Nationally Vulnerable) Kauri~ (<i>Agathis australis</i>; Threatened-Nationally Vulnerable) <p>Ecological values</p> <ul style="list-style-type: none"> Two PNAs within forest- Ararua Road Bush (Q08/014), Manganui-Taylors Road Bush and Surrounds (Q08/019). Adjacent to SNA, QEII covenant and DOC reserve. 	<p>Birds</p> <ul style="list-style-type: none"> Grey duck/pārera (Threatened- Nationally Vulnerable) NZ dabchick/weweia (Threatened- Nationally Increasing) <p>Fish</p> <ul style="list-style-type: none"> Longfin eel (At Risk- Declining) Inanga (At Risk- Declining) <p>Herpetofauna</p> <ul style="list-style-type: none"> Elegant gecko (At Risk- Declining) Ornate skink (At Risk- Declining) <p>Invertebrates</p> <ul style="list-style-type: none"> Kauri snail (At Risk- Declining) Land snail (At Risk- Declining)

* Threat classification elevated as precautionary measure due to myrtle rust susceptibility

~ Threat classification listed as Threatened- Nationally Vulnerable due to the impacts of kauri dieback *Phytophthora agathidicida*

Forest	Flora	Fauna present or highly likely
Mangarata	<p>Overview</p> <p>Mostly regenerating secondary indigenous forest types such as (kahikatea)-[kauri]-[rimu]/tōtara-(taraire)-[pūriri] forest, kahikatea-[rimu]/tōtara-(pūriri) forest, tōtara-(kahikatea)-(rimu)-(kānuka) forest, and tōtara-(kahikatea)-[tītoki] forest. These vegetation and habitat types are representative of conifer-broadleaved species forest which has been greatly reduced in extent within Tokatoka Ecological District.</p> <p>Threatened flora</p> <ul style="list-style-type: none"> Kānuka* (Threatened-Nationally Vulnerable) Akatea* (<i>Metrosideros perforata</i>; Threatened-Nationally Vulnerable) Climbing rātā* (<i>Metrosideros fulgens</i>; Threatened-Nationally Vulnerable) Kauri~ (<i>Agathis australis</i>; Threatened-Nationally Vulnerable) <p>Ecological values</p> <ul style="list-style-type: none"> Three PNAs within forest- Boar Stream Bush (P07/110), Manganui River Complex (P07/086), Manganui Trig Forest (P07/108). QEII covenant 5-02-015 within forest. Adjacent to DOC reserve. 	<p>Birds</p> <ul style="list-style-type: none"> Grey duck/pārera (Threatened- Nationally Vulnerable) NZ dabchick/weweia (Threatened- Nationally Increasing) <p>Fish</p> <ul style="list-style-type: none"> Longfin eel (At Risk- Declining) Inanga (At Risk- Declining)

* Threat classification elevated as precautionary measure due to myrtle rust susceptibility

~ Threat classification listed as Threatened- Nationally Vulnerable due to the impacts of kauri dieback *Phytophthora agathidicida*

Forest	Flora	Fauna present or highly likely
Ngatieve	<p>Overview</p> <p>Mostly regenerating secondary indigenous forest types such as kahikatea-tōtara-rimu-[northern rātā]/(taraire)-(tōwai)-(pūriri) forest, rewarewa/pūriri-taraire-(tōtara)/kohekohe forest, and tōtara-taraire-rimu forest. These vegetation and habitat types are representative of conifer-broadleaved species forest which has been greatly reduced in extent within Hokianga Ecological District but less reduced in Maungataniwha Ecological District.</p> <p>Threatened flora</p> <ul style="list-style-type: none"> Kānuka* (Threatened-Nationally Vulnerable) Mānuka* (At Risk- Declining) Akatea* (<i>Metrosideros perforata</i>; Threatened-Nationally Vulnerable) Northern rātā* (<i>Metrosideros robusta</i>; Threatened-Nationally Vulnerable) Kauri~ (<i>Agathis australis</i>; Threatened-Nationally Vulnerable) <p>Ecological values</p> <ul style="list-style-type: none"> Three PNAs within forest- Ngatieve Airstrip Bush (O05/066), Orawau (O05/065), Maungataniwha Forest (O05/009). Adjacent to QEII covenant and DOC reserve. 	<p>Bats</p> <ul style="list-style-type: none"> Long-tailed bat (Threatened- Nationally Critical) <p>Birds</p> <ul style="list-style-type: none"> NZ pipit/pīhoihoi (At Risk- Declining) <p>Fish</p> <ul style="list-style-type: none"> Longfin eel (At Risk- Declining) Torrentfish (At Risk- Declining) <p>Herpetofauna</p> <ul style="list-style-type: none"> Northland green gecko (At Risk- Declining) Copper skink (At Risk- Declining) Ornate skink (At Risk- Declining) <p>Invertebrates</p> <ul style="list-style-type: none"> Kauri snail (At Risk- Declining) Landhoppers- 4 indigenous species: 2 threat status not assessed, 2 taxonomic status indeterminate <i>Syrphetodes</i> sp. beetle (At Risk- Naturally Uncommon) <i>Tuiharpalus hallae</i> beetle (At Risk- Naturally Uncommon) <i>Diapriidae</i> parasitoid wasp (At Risk- Naturally Uncommon)

* Threat classification elevated as precautionary measure due to myrtle rust susceptibility

~ Threat classification listed as Threatened- Nationally Vulnerable due to the impacts of kauri dieback *Phytophthora agathidicida*

Forest	Flora	Fauna present or highly likely
Opape	<p>Overview</p> <p>Mostly regenerating secondary indigenous forest types such tōtara-[rimu]-[tānekaha]/kanuka forest, tōtara-kānuka-(kahikatea)-[pūriri] forest, tōtara-karaka-(pūriri) forest, and kānuka-(tōtara) forest and scrub. These vegetation and habitat types are representative of conifer-broadleaved species forest which has been greatly reduced in extent within both Tangihua and Kerikeri Ecological Districts.</p> <p>Threatened flora</p> <ul style="list-style-type: none"> Kānuka* (Threatened-Nationally Vulnerable) Mānuka* (At Risk- Declining) Akatea* (<i>Metrosideros perforata</i>; Threatened- Nationally Vulnerable) Kauri~ (<i>Agathis australis</i>; Threatened- Nationally Vulnerable) <p>Ecological values</p> <ul style="list-style-type: none"> Three PNAs within forest- Waiharakeke Stream Alluvial Forest (P05/054), Tarakihi Wetlands and Environments (P06/076), Davis Road Bush (P06/070). 	<p>Birds</p> <ul style="list-style-type: none"> NZ pipit/pīhoihoi (At Risk- Declining) Red-billed gull/tarāpunga (At Risk- Declining) <p>Fish</p> <ul style="list-style-type: none"> Longfin eel (At Risk- Declining) Lamprey (Threatened- Nationally Vulnerable) Inanga (At Risk- Declining) <p>Herpetofauna</p> <ul style="list-style-type: none"> Copper skink (At Risk- Declining) Elegant gecko (At Risk- Declining)

* Threat classification elevated as precautionary measure due to myrtle rust susceptibility

~ Threat classification listed as Threatened- Nationally Vulnerable due to the impacts of kauri dieback *Phytophthora agathidicida*

Forest	Flora	Fauna present or highly likely
Piroa	<p>Overview</p> <p>Mostly regenerating secondary indigenous forest types such as kahikatea-tōtara-kānuka forest, kahikatea-tōtara forest, kahikatea-tōtara-(rimu)-(rewarewa) forest, and tōtara-kahikatea-taraire forest. These vegetation and habitat types are representative of conifer-broadleaved species forest which has been greatly reduced in extent within Tokatoka and Waipu Ecological Districts.</p> <p>Threatened flora</p> <ul style="list-style-type: none"> Kānuka* (Threatened-Nationally Vulnerable) Mānuka* (At Risk- Declining) Akatea* (<i>Metrosideros perforata</i>; Threatened-Nationally Vulnerable) Kauri~ (<i>Agathis australis</i>; Threatened-Nationally Vulnerable) <p>Ecological values</p> <ul style="list-style-type: none"> Three PNAs within forest- Dodd Road Forest Remnant (Q08/236), Waipu Gorge Forest Remnants (Q08/222), Smale's Road Forest Remnants (Q08/241). 	<p>Bats</p> <ul style="list-style-type: none"> Long-tailed bat (Threatened- Nationally Critical) <p>Birds</p> <ul style="list-style-type: none"> Little shag/kawau paka (At Risk- Relict) NZ pipit/pīhoihoi (At Risk- Declining) <p>Herpetofauna</p> <ul style="list-style-type: none"> Hochstetter's frog (At Risk- Declining) Elegant gecko (At Risk- Declining)

* Threat classification elevated as precautionary measure due to myrtle rust susceptibility

~ Threat classification listed as Threatened- Nationally Vulnerable due to the impacts of kauri dieback *Phytophthora agathidicida*

Forest	Flora	Fauna present or highly likely
Wairere North	<p>Overview</p> <p>Mostly comprising regenerating secondary indigenous forest types such as kauri/pūriri-tōtara-taraire/kānuka forest, kauri-kahikatea-[rimu]/tōtara/kānuka forest, taraire-(kahikatea)-(kohekohe)-(rimu) forest and treeland, and tōtara-tānekahā-kānuka forest. These vegetation and habitat types are representative of conifer-broadleaved species forest which has been greatly reduced in extent within Tangihua Ecological District.</p> <p>Threatened flora</p> <ul style="list-style-type: none"> • Kānuka* (Threatened-Nationally Vulnerable) • Mānuka* (At Risk- Declining) • Akatea* (<i>Metrosideros perforata</i>; Threatened-Nationally Vulnerable) • Northern rātā* (<i>Metrosideros robusta</i>; Threatened-Nationally Vulnerable) • Climbing rātā* (<i>Metrosideros fulgens</i>; Threatened-Nationally Vulnerable) • Kauri~ (<i>Agathis australis</i>; Threatened-Nationally Vulnerable) <p>Ecological values</p> <ul style="list-style-type: none"> • Five PNAs within the forests- Mangakahia Forest and Te Tarahiorahiri (P06/001), Pipiwai Stream Old Growth Forest Remnant (P06/061), Pipiwai Stream Riverine Forest Remnant (P06/062), Mangaroa Stream Riverine Forest and Gumland (P06/059), Mangaroa Wetland (P06/060). • Part of Outstanding Natural Landscape 'Mangakahia Forest and bush margins' falls in reserve on southwest boundary. • Adjacent to DOC reserve. 	<p>Bats</p> <ul style="list-style-type: none"> • Long-tailed bat (Threatened- Nationally Critical) <p>Birds</p> <ul style="list-style-type: none"> • NZ pipit/pīhoihoi (At Risk- Declining) • Red-billed gull/tarāpunga (At Risk- Declining) <p>Fish</p> <ul style="list-style-type: none"> • Longfin eel (At Risk- Declining) • Torrentfish (At Risk- Declining) • Inanga (At Risk- Declining) <p>Herpetofauna</p> <ul style="list-style-type: none"> • Copper skink (At Risk- Declining) • Elegant gecko (At Risk- Declining) <p>Invertebrates</p> <ul style="list-style-type: none"> • Land snail (At Risk- Declining) • Owlet moth (At Risk- Naturally Uncommon) • Kiwi louse (Threatened- Nationally Vulnerable)

* Threat classification elevated as precautionary measure due to myrtle rust susceptibility

~ Threat classification listed as Threatened- Nationally Vulnerable due to the impacts of kauri dieback *Phytophthora agathidicida*

Rare and threatened species management

The general management of these species is shown below. Specific ecological management activities are outlined in Appendix 5. iNaturalist¹⁸ (Biodiversity in Plantations) will be used to record sightings of important indigenous fauna or flora discovered in the forest.

Biodiversity group	Management response
Flora	<p>The rare flora species (excluding kauri) are in the Myrtaceae family. The Myrtle family are at risk of myrtle rust, hence their threat class has been elevated. Kauri has similarly had an increase in the threat class due to the impact of kauri dieback (PA) in the North Island. Implementation of forest hygiene measures in line with national guidelines will help safeguard these species from the effects of these pathogens.</p> <p>Indigenous vegetation will benefit from the exclusion of domestic stock within the natural areas, possum, feral pig and goat control, and careful harvesting along the boundary of indigenous vegetation.</p>
Birds	<p>Birds identified as present or highly likely within the Kauri Forestry estate will benefit from reserve/riparian protection and wider pest control implemented across the forests.</p>
Bats	<p>Long-tailed bats are likely to be present in some the forests as suitable bat habitat is present, and populations are known nearby. Targeted pre-harvest surveys are recommended. Populations will benefit from wider pest control implemented across the forests. These species will also be afforded protection from forestry operations in parallel with riparian and reserve protection.</p>
Lizards & frogs	<p>Herpetofauna identified as present or highly likely within the Kauri Forestry estate will benefit from wider pest control implemented across the forests. These species will be afforded protection from forestry operations in parallel with riparian and reserve protection.</p>
Fish	<p>These species will be afforded protection from forestry operations in parallel with riparian protection.</p>
Invertebrates	<p>Invertebrates identified as present or highly likely within the Kauri Forestry estate will benefit from wider pest control implemented across the forests. These species will be afforded protection from forestry operations in parallel with riparian and reserve protection.</p>

¹⁸ <https://www.inaturalist.org/projects/biodiversity-in-plantations>

10. Other Special Values: Everything but the timber

Recreation

The Kauri Forestry estate is open for recreation subject to safety requirements. Any approved access is managed through the PF Olsen forest access permit system (for areas outside legal public access areas). For information on how to apply for a permit, please phone the PF Olsen Northland Office 09 407 7012.

Following the intent of the Outdoor Access Code¹⁹ (published by Herenga ā Nuku - Outdoor Access Commission) and any signage / barriers in place within the forest, is expected behaviour of forest visitors. Closures will also apply during times of high fire risk, any *force majeure* state and during forestry operations.

Public access roads

According to the information available on the Herenga ā Nuku - Outdoor Access Commission website²⁰, there are formed and unformed legal roads running through some parts of the forests. A map is included in Appendix 6. Refer also to the Herenga ā Nuku - Outdoor Access Commission website²¹.

These areas are open to the public, subject to any temporary closures as required for safety. Temporary closures can only be undertaken in conjunction, and with the authority, of the local Territorial Authority.

Anyone who accesses legal public access areas within the Kauri Forestry estate are expected to abide by the intent of the Outdoor Access Code and signage or barriers placed at track or public access points. Requirements for valid DOC permits for firearms and/or dogs must be observed.

Non-Timber Forest Products

There are no FSC certified non-timber forest products²² from the Kauri Forestry estate.

¹⁹ <https://www.walkingaccess.govt.nz/assets/Publication/Files/Outdoor-Access-Code/0fcf4d2e5b/Outdoor-Access-Code.pdf>

²⁰ <https://www.herengaanuku.govt.nz/>

²¹ <https://maps.walkingaccess.govt.nz/Viewer/?map=b1d1e76a6c754d11b3f3fd9dfce1eb12>

²² In FSC standards, the reference to non-timber forest products is a reference to such products that are able to carry the FSC label. It is not a reference to the presence or absence of other co-products from the forest areas that do not seek to carry the FSC label.

Other Special Values

There is a grazing lease in Opare Forest (approx. 47.7 ha).

11. Future Planning

Plan changes & reviews


The next major review date for this plan is January 2029 (5 years).


Minor revisions may be made at any time. Any material changes made will be documented below.


Change	Date	Section/Page
Addition of Red ESC monitoring to plan, and adjusted Appendices accordingly	12/12/2024	Section 6
Updated FSC certificate	04/06/2025	Section 1
Added Local infrastructure and community risk to meet NZ Standard 10.9	06/08/2025	Section 6
Merged Wairere South Forest in with Wairere North Forest- physically adjacent forests, no difference in management or character or total area.	07/08/2025	Throughout


Appendix 1: Forest Maps


On following pages




















Appendix 2: Legal Ownership

Property Name	Tenure
Caves	Allot 154 PSH of Ruarangi. Lot 4 DP 545707, SO 1307, SO 39037. Lot 6 DP 545707 Parcel ID List 4956590, 5116907, 8125618, 8125620
Manganui	1/1, Lot 1,2,3 4 Deposited Plan 29960. 1/1, Lot 3 Deposited Plan 575863. 1/1, Allotment 249 Parish of Matakohe and 1/1, Part Allotment 248 Parish of Matakohe. 1/1, Part Allotment 263 Parish of Matakohe defined On Deposited Plan 17599. 1/1, Part Allotment 254 Parish of Matakohe, Part Eastern Portion Allotment 256 Parish of Matakohe and Part South Western Portion Allotment 256 Parish of Matakohe, 1/1, Section 262 Parish of Matakohe. 1/1, Allotment 257A Parish of Matakohe. 1/1, Part Section 237 Parish of Mareretu. 1/1, Lot 1 Deposited Plan 88674. 1/1, Allotment 382 and Allotment 386-388 Parish of Mareretu and Lot 1-2 Deposited Plan 49983. 1/1, Allotment 1, 2 & 3 Mareretu Parish, 1/1, Lot 1-2 Deposited Plan 135832. 1/1, Lot 1 Deposited Plan 480899
Mangarata	Lot 5 DP 575539 DP 575539. Section 4 Block XV Maungaru, SD SO 52006. Lot 6 DP 575539, DP 575539
Ngatieve	1/1, Section 24-25 and Section 27 Block I Mangamuka Survey District, 1/1, Section 35-36 Block I Mangamuka Survey District, 1/1, Lot 41 Deposited Plan 7196, 1/1, Lot 41 Deposited Plan 7196, 1/1, Part Lot 1 Deposited Plan 193262.
Opare	1/1, Lot 1-2 and Lot 5 Deposited Plan 107976. 1/1, Motatau 2Sec19 Block and Part Motatau 2Sec 40 Block. 1/1, Lot 2 Deposited Plan 561372. 1/1, Lot 1 Deposited Plan 561372 and Part Motatau 2Sec3 Block and Part Motatau 2Sec5 Block. 1/1, Lot 5 Deposited Plan 90982. 1/1, Lot 1-2 Deposited Plan 148032. 1/1, Section 16 and Part Section 17-18 Block XV Kawakawa Survey District. 1/1, Lot 1 Deposited Plan 90982.
Piroa	1/1, Lot 5 & 6 & 7 Deposited Plan 555519.
Wairere North	1/1, Lot 2, 4-5, 7 Deposited Plan 128532, 1/2, Lot 6 Deposited Plan 128532, 1/2, Lot 8 Deposited Plan 128532. 1/1, Lot 3 Deposited Plan 537945. 1/2, Lot 6 Deposited Plan 128532, 10,775 m ² Fee Simple, 1/2, Lot 8 Deposited Plan 128532. 1/1, Lot 1 Deposited Plan 537945.
Wheki	1/1, Section 40 Block II Tangihua Survey District, 1/1, Lot 1 & 3 Deposited Plan 567102. 1/1, Lot 1 Deposited Plan 14002. 1/1, Lot 3 Deposited Plan 187423. 1/1, Part Lot 1 Deposited Plan 61374 and Part Section 45 Block II Tangihua Survey District,

Appendix 3: Forest Neighbours

Not Publicly Available

Appendix 4: NES-CF Red ESC Zone Monitoring

Monitoring Actions

Activity Type	Actions
Monitoring of Red ESC Areas	<ul style="list-style-type: none"> Orbica monitoring system <ul style="list-style-type: none"> Take monthly satellite imagery of the identified Red ESC areas within the forest. Analyse the imagery to determine levels of erosion and revegetation. Using the PF Olsen Red ESC monitoring web tool we will: <ul style="list-style-type: none"> Document the extent of any erosion and/or revegetation. Determine if sediment has or will reach any water body. Take any practicable appropriate steps to disconnect any sediment pathways to water bodies and minimise exacerbation of the erosion where feasible. Harvesting erosion <ul style="list-style-type: none"> Harvest managers will be aware of Red Zone areas that are being harvested and will follow NES-CF permitted activity regulations OR resource consent conditions. Prior to harvesting commencing the harvest manger will determine if harvesting activities are likely to result in sediment reaching water bodies, and which water bodies will be affected. All practicable steps will be taken to disconnect harvesting disturbance from water bodies.


Stands to be monitored by forest

Opare Forest

The current total productive area of Opare Forest is 1,196.1 hectares. Of its current total productive area 67% is Red ESC class.

Stand	Area of Red ESC within the Stand (ha)	Total Stand Area (ha)	Percentage of Stand Affected
OPRE-01-01	97.93	148.68	66%
OPRE-01-04	3.63	3.63	100%
OPRE-01-08	5.58	5.58	100%
OPRE-01-09	19.06	19.09	100%
OPRE-01-10	17.71	17.76	100%
OPRE-01-11	6.87	6.87	100%
OPRE-01-12	2.08	2.08	100%
OPRE-01-13	1.01	3.02	33%
OPRE-01-14	1.61	2.16	75%
OPRE-01-15	26.88	45.43	59%
OPRE-01-16	1.07	11.45	9%
OPRE-01-17	3.16	3.16	100%
OPRE-01-19	0.46	1.05	44%
OPRE-01-20	4.32	6.99	62%
OPRE-01-21	3.66	3.66	100%
OPRE-02-01	41.14	41.14	100%
OPRE-02-02	5.31	13.49	39%
OPRE-02-04	2.25	2.25	100%
OPRE-02-06	4.77	4.77	100%
OPRE-02-07	13.01	13.01	100%
OPRE-02-07A	1.38	1.38	100%
OPRE-02-10	4.83	5.80	83%
OPRE-02-11	15.86	15.86	100%
OPRE-03-01	4.64	39.19	12%
OPRE-03-03	0.20	15.76	1%
OPRE-03-04A	13.80	13.80	100%
OPRE-03-05	14.59	17.64	83%
OPRE-03-06	0.74	9.46	8%
OPRE-03-07	1.27	6.35	20%
OPRE-03-08	7.20	11.22	64%
OPRE-03-09	6.46	7.75	83%
OPRE-03-10	8.45	8.68	97%
OPRE-03-11	8.34	9.44	88%
OPRE-03-12	3.27	7.62	43%

Stand	Area of Red ESC within the Stand (ha)	Total Stand Area (ha)	Percentage of Stand Affected
OPRE-03-13	19.22	20.59	93%
OPRE-03-14	1.68	18.78	9%
OPRE-03-16	3.68	4.24	87%
OPRE-03-17	6.98	12.31	57%
OPRE-04-01A	23.19	24.55	94%
OPRE-04-02	13.43	14.34	94%
OPRE-04-03	8.57	8.57	100%
OPRE-04-04	8.94	42.14	21%
OPRE-04-06	0.14	16.61	1%
OPRE-04-07	0.15	8.75	2%
OPRE-04-08	37.45	83.10	45%
OPRE-05-03	0.45	12.34	4%
OPRE-05-04	15.52	16.66	93%
OPRE-05-05	38.49	40.60	95%
OPRE-05-06	18.63	20.01	93%
OPRE-05-07	10.40	10.51	99%
OPRE-05-08	1.57	1.57	100%
OPRE-05-09	0.08	2.91	3%
OPRE-08-01	22.29	23.14	96%
OPRE-08-02	2.83	2.83	100%
OPRE-08-03	27.61	27.61	100%
OPRE-08-04	2.23	2.23	100%
OPRE-08-05	16.07	16.07	100%
OPRE-08-06	76.02	84.09	90%
OPRE-08-07	27.49	27.49	100%
OPRE-08-08	31.17	33.83	92%
OPRE-08-09	11.48	11.53	100%
OPRE-09-05	17.88	19.77	90%
OPRE-09-06	0.29	33.85	1%
Total Area	769.80	1,166.24	



Appendix 5: Schedule of Ecological Management

Activity Type	Actions	Area/s	Due Date
Walk-through check / drone survey	Forest manager to do annual onsite check on issues including weeds, wilding pines, animal browse. This can be done via a combination of a walk-through check on the ground and/or use of a drone to carry out an aerial assessment of the block.	Focus on high-ranking natural indigenous vegetation reserves within the forests	31-Dec (annually)
Domestic livestock exclusion	Exclude livestock from natural indigenous vegetation reserve areas. Ensure boundary fencing is adequate to exclude stock from neighbouring farmland.	All forests	End 2024 (grazing removed as planned planting is completed)
Pest control - Animals	Formalise a pest control plan (an external contractor could be engaged). May include shooting, trapping and/or poisoning. <ul style="list-style-type: none"> - Feral pigs- Wairere North, Wheki - Feral goats – all forests - Possums – all forests 	Focus on high-ranking natural indigenous vegetation reserves within forests	Pest plan developed and implemented by 07/2024
Biosecurity - machine hygiene	Ensure machine cleaning before entering / leaving the forest- reduce risk of kauri dieback and rainbow skink transmission.	All forests	Ongoing
Fish passage survey	Undertake a check of existing culverts for fish passage. Install solution if fish passage is not provided.	All forests	Summer 2024/25

Activity Type	Actions	Area/s	Due Date
Pest control - Plants	<p>Carry out forest-wide pest plant control in accordance with the Regional Pest Management Plan. Focus on boundaries.</p> <p>Control woolly nightshade (Sustained control in NRPMP)</p> <p>Control cotoneaster (Sustained control in NRPMP)</p> <p>Control elephant's ear (Sustained control in NRPMP)</p> <p>Control jasmine (Sustained control in NRPMP)</p> <p>Control willow-leaved hakea, privet (tree and Chinese) (Sustained control in NRPMP)</p> <p>Control queen of the night (Sustained control in NRPMP)</p> <p>Control agapanthus (Sustained control in NRPMP)</p> <p>Carry out pest plant control within natural indigenous vegetation reserves based on annual walk-through check / drone survey information and in accordance with the Regional Pest Management Plan.</p>	<p>Focus on boundary control.</p> <p>Manganui, Ngatieve, Opare, Piroa, Wairere North</p> <p>Mangarata, Ngatieve</p> <p>Ngatieve</p> <p>Ngatieve</p> <p>Opare</p> <p>Wheki</p> <p>Wheki</p> <p>Natural indigenous vegetation reserves within forests.</p>	<p>31-Dec (annually)</p>

Activity Type	Actions	Area/s	Due Date
Pest control – Plants	Check, plan and implement wilding conifer control in SNA areas.	All SNAs within forests that have existing older pine plantings: Manganui, Opare, Piroa, Wairere North	Survey and budget and plan by 07/2024 If required, commence implementation by 01/2025 then 5 yearly wilding control
	Control smilax- one patch in Manganui (approximately NZTM E1709083, N6017062).	Manganui: north of SECF-19 on road edge	Summer 2024/25
	Control selaginella - one patch in Manganui (approximately NZTM E1707647, N6016931). - one patch in Opare (approximately NZTM E1693098, N6083201).	Manganui SECF-09 Opare: northern end of RIPR-01	Summer 2024/25
	Control tradescantia - one patch in Manganui (approximately NZTM E1709154, N6016449). - one patch in Opare (approximately NZTM E1693098, N6083201).	Manganui stand 6/01 near SECF-18 Opare: northern end of RIPR-01	Summer 2024/25
Bat surveys	Carry out targeted pre-harvest surveys for long-tailed bats	Caves, Ngatieveke, Piroa, Wairere North, Wheki	Pre-harvest, summer prior
Threatened species sightings	Sightings to be recorded in iNaturalist. NZFOA Rare Species Guidelines to be followed if species are found within the forest boundaries.	All forests	Ongoing

Activity Type	Actions	Area/s	Due Date																		
Water monitoring	<p>Measure water quality parameters, and undertake comprehensive eDNA water testing to:</p> <ul style="list-style-type: none"> - establish aquatic / amphibious / riparian terrestrial rare species presence. - provide water quality indicator (TICI). <p>If threatened species are identified:</p> <ul style="list-style-type: none"> - Findings will be reported in iNaturalist - Review forestry and harvesting operations to ensure that any potential impacts are recognised and managed appropriately to not adversely affect the threatened species (in line with the National Policy Statement for Indigenous Biodiversity). <p>If an unexpected result is produced, a repeat test will be implemented.</p>	<p>10 sites, as described below.</p> <table border="1" data-bbox="916 414 1832 1092"> <tr> <td>Forest</td> <td>Sample point</td> </tr> <tr> <td>Caves</td> <td>E1719655, N6022287. Unnamed stream near Waipu Caves.</td> </tr> <tr> <td>Manganui</td> <td>E1708405, N6018045. Unnamed tributary of Waiwhakangari Stream.</td> </tr> <tr> <td>Mangarata</td> <td>E1693277, N6023786. Unnamed tributary of the Boar Stream.</td> </tr> <tr> <td>Ngatieve</td> <td>E1648539, N6099506. Kopopuwhakapeka Stream.</td> </tr> <tr> <td>Opare</td> <td>E1691926, N6081542. Unnamed tributary of the Waiharakeke Stream.</td> </tr> <tr> <td>Piroa</td> <td>E1722916, N6008655. Unnamed tributary of Ahuroa River.</td> </tr> <tr> <td>Wairere North</td> <td>E1689793, N6054417. Unnamed tributary of the Pipiwai Stream. E1689607, N6053332. Upokotakawai Stream is a tributary of the Pipiwai Stream.</td> </tr> <tr> <td>Wheki</td> <td>E1701776, N6038150. Omaerae Stream is a tributary of the Wairoa River.</td> </tr> </table>	Forest	Sample point	Caves	E1719655, N6022287. Unnamed stream near Waipu Caves.	Manganui	E1708405, N6018045. Unnamed tributary of Waiwhakangari Stream.	Mangarata	E1693277, N6023786. Unnamed tributary of the Boar Stream.	Ngatieve	E1648539, N6099506. Kopopuwhakapeka Stream.	Opare	E1691926, N6081542. Unnamed tributary of the Waiharakeke Stream.	Piroa	E1722916, N6008655. Unnamed tributary of Ahuroa River.	Wairere North	E1689793, N6054417. Unnamed tributary of the Pipiwai Stream. E1689607, N6053332. Upokotakawai Stream is a tributary of the Pipiwai Stream.	Wheki	E1701776, N6038150. Omaerae Stream is a tributary of the Wairoa River.	<p>Baseline established spring 2021 & 2022. Implement annually for 5 years to monitor effects of landuse change.</p> <p>Switch to 5-yearly during mid-rotation (age 5, 10, 15, 20, 25 years), and increase frequency to annual just prior and during next harvest.</p>
Forest	Sample point																				
Caves	E1719655, N6022287. Unnamed stream near Waipu Caves.																				
Manganui	E1708405, N6018045. Unnamed tributary of Waiwhakangari Stream.																				
Mangarata	E1693277, N6023786. Unnamed tributary of the Boar Stream.																				
Ngatieve	E1648539, N6099506. Kopopuwhakapeka Stream.																				
Opare	E1691926, N6081542. Unnamed tributary of the Waiharakeke Stream.																				
Piroa	E1722916, N6008655. Unnamed tributary of Ahuroa River.																				
Wairere North	E1689793, N6054417. Unnamed tributary of the Pipiwai Stream. E1689607, N6053332. Upokotakawai Stream is a tributary of the Pipiwai Stream.																				
Wheki	E1701776, N6038150. Omaerae Stream is a tributary of the Wairoa River.																				

Appendix 6: Public Access Maps

On following pages

