



Author
Signature

Author Name Fleur Kent

Author Role Author Name.

Date Date

Reviewed By

Name Heather Arnold

Role Environmental Manager

Date

### **DISCLAIMER**

This document has been prepared by PF Olsen Limited specifically for the purposes stated in the document and is for your information only. PF Olsen Limited has used reasonable endeavours to ensure that the data and any other information in the document including any estimates, quotes, valuations and analyses is based on reliable sources and, where applicable, industry appropriate methodology and software.

Although the information in this document is provided in good faith, PF Olsen Limited does not make any express or implied representations or give any warranties or guarantees as to the accuracy or completeness of the information. PF Olsen Limited does not accept liability for any claim, action, cost, loss or damage arising directly or indirectly from use or reliance on the information in this document and you agree to indemnify PF Olsen Limited against any losses, damages, costs, liabilities or expenses in relation to claims or disputes incurred as a result of you using or acting in reliance on the information in this document.

PF Olsen Limited
PO Box 1127 | Rotorua 3040 | New Zealand
T: 07 921 010 | info@pfolsen.com | nz.pfolsen.com

PF Olsen (Aus.) Pty Limited
Suite 6, 50 Upper Heidelberg Road | Ivanhoe | Vic | 3079 | Australia
T: 1800 054 659 | ausinfo@pfolsen.com | au.pfolsen.com

April 2023 - April 2028 DISCLAIMER Page 2 of 22



# **TABLE OF CONTENTS**

| DISC | CLAIMER   | 2  |
|------|---|----|
| 1.   | What is this Plan?                              | 4  |
| 2.   | The Forest Land                                 | 5  |
| 3.   | Ecological Information                          | 7  |
| 4.   | Cultural and Social Aspects                     | 9  |
| 5.   | Regulations                                     | 10 |
| 6.   | Managing environmental risk                     | 12 |
| 7.   | Commercial Plantation Estate                    | 13 |
| 8.   | Harvesting Strategy                             | 14 |
| 9.   | Indigenous Biodiversity                         | 15 |
| 10.  | Other Special Values: Everything but the timber | 17 |
| 11.  | Future Planning                                 | 19 |
| App  | endix 1: Forest Map                             | 20 |
| App  | endix 2: Forest Neighbours                      | 21 |
| App  | endix 4: Schedule of Ecological Management      | 22 |



## 1. What is this Plan?

### **About this Plan**

This **specific** forest management plan provides details about Waiohotu Forest.

It is to be used in conjunction with the **standard** forest management plan<sup>1</sup>, which outlines the typical management applied to the Forest Stewardship Council (FSC®) Group Scheme estate forests.

Where Waiohotu Forest is managed in a different way than described in the standard forest management plan, this is detailed within this plan, which takes precedence.

### **Foundation Principle**

As a policy the:

- Torlesse Pine Company Ltd (TPC) has a long-term commitment to the FSSC Principles and Criteria in the management unit, and to related FSC Policies and Standards, and
- TPC is committed to the PF Olsen FSC Group Scheme NC-FM/COC-000190 processes and associated documents.

TPC has sought FSC certification, to ensure that their forests are managed in an environmentally appropriate, socially beneficial and economically viable manner and to obtain the best access opportunities to the local processing market which is seeking to source FSC certified logs.

\_

<sup>&</sup>lt;sup>1</sup> https://nz.pfolsen.com/site/pfolsen/ForestManagemenPlan%20-%20Standard.pdf



## 2. The Forest Land

### **Location and access**

Waiohotu Forest is a 15.9-hectare forest in the Waikato region. The location of the forest is shown in Appendix 1.

#### **Forest Area**

| Forest   | Net Stocked | Indigenous | Awaiting      | Total forest |
|----------|-------------|------------|---------------|--------------|
| 101031   | area (ha)   | area (ha)  | planting (ha) | area (ha)    |
| Waiohotu | 15.9        | 4.31       | 0             | 20.2         |

# Legal ownership

The legal description of the forest land is:

Pt Lot 1 & Pt Lot 3, DPS 7267, Whaitikuranui 2E2 West 3C, Blocks III & IV, Patetere SD XV, COT 22C/145 and 53B/621, Valuation #: 05411-05500 and 05411-05200

The farm is freehold over which TPC holds a registered forestry right.

### **Markets**

The location of the forest in relation to potential markets is listed in the table below.

## Distances from forest to log markets

| Potential Market<br>or Export Port | Distance from Forest (km) | Log market |
|------------------------------------|---------------------------|------------|
| Port of Tauranga                   | 50                        | Export     |
| Waipa Sawmill                      | 45                        | Domestic   |
| Kinleith                           | 35                        | Pulp       |



# **Topography**

Waiohotu forest is flat/rolling to moderately steep. Ground based, and possibly small hauler log extraction methods will be utilised at harvesting.

Altitude is 50 to 150 m.

#### Soil

Soils are predominantly yellow-brown loams and suitable for production forestry. The forest has approximate Land Use Classification percentages as follows:

- Ile3 10%
- IIs1 10%
- IIIw1 10%
- Vle1 50%'
- VIIe6 20%

#### Climate

The average rainfall at nearby Tirau is about 1,300 mm/yr and is relatively well distributed during the year.

The mean annual temperature is around 13.8°C. Frosts are common with around 50 ground frosts per year.



# 3. Ecological Information

## **Ecological District**

Waiohotu Forest is located within the Hinuera and Tokoroa Ecological District (ED), in the Waikato Ecological Region. The District has:

The forest is located on a dairy farm with limited ecological values. A small area of indigenous trees is located in the Pond Sidling area of about half a hectare. It has some tawa and rewarewa, but due to its small size and fragmentation from other indigenous areas it is of low ecological value. It is however protected.

A small raupo dominated wetland and dammed pond are also adjacent to Pond Sidling. These areas, while small, represent a rare remnant and are protected by the farm owner. Dabchick have been observed in the pond.

A clean spring fed stream runs through the property. It has been fenced from cattle and some indigenous riparian plants established. This is managed by the farm owner and is not part of Waiohotu Forest

# FSC requirement: Ecological District

Waiohotu Forest falls within the Hinuera and Tokoroa Ecological Districts (EDs). Waiohotu Forest is required to have a 10% minimum of the working forest area (productive area + plantation forest infrastructure) set aside as reserves, by Ecological District. Where Ecological District boundaries arbitrarily bisect a forest management unit with similar ecological character and landforms, the areas bisected can be considered as one ecological unit. This is applicable to Waiohotu Forest, therefore the forest meets the 10% reserve requirement (as provided for in the guidance note of the NZ FSC Standard).

#### Reserve areas in Waiohotu Forest by Ecological District

| Ecological District | Total Forest | Reserve   | Reserve | Meets | Reserve        |
|---------------------|--------------|-----------|---------|-------|----------------|
|                     | Area (ha)    | Area (ha) | %       | FSC?  | Shortfall (ha) |
| Hinuera             | 1.4          | 0.0       | 27%     | YES   | N/A            |
| Tokoroa             | 14.5         | 4.3       | 2/%     | YES   | N/A            |

### Threatened Environments Classification

Waiohotu Forest falls under the Threatened Environments categories of <10% remaining. The remaining indigenous vegetation associated with the forest has been identified and afforded the appropriate protective status.



| Threatened Environment Classification | Area (ha) |
|---------------------------------------|-----------|
| <10% remaining                        | 4.3       |
| 10 – 20% remaining                    | 0.0       |
| 20 – 30% remaining                    | 0.0       |
| >30% remaining & <10% protected       | 0.0       |
| >30% remaining & 10 - 20% protected   | 0.0       |
| >30% remaining & >20% protected       | 0.0       |
| Total Area (ha)                       | 4.3       |



# 4. Cultural and Social Aspects

### **Forest history**

As a small woodlot, Waiohotu Forest has no history of significance.

## **Current social profile**

The predominant land uses surrounding Waiohotu Forest are pastoral and dairy farming. Forestry plantings are scattered throughout the district.

The forest is small and has little effect or relevance to the local community. It does provide an alternative land use and some wind protection for the farm that it is located on.

## Historic and archaeological sites

The 'Archsite' web resource does not record any known historic sites in Waiohotu Forest, or within 1 km of the forest boundary. Accidental discovery protocols will apply should any physical evidence be discovered during operations.

### **Tangata Whenua**

Local Tangata Whenua have been previously consulted and are not concerned with the woodlots due to their small size and low intensity.

### **Tenure & resource rights**

There are no current resource consents or Heritage NZ Authorities that apply to Waiohotu Forest.

### Neighbours

Appendix 2 lists the forest neighbours. Some or all of these parties should be consulted when operations are proposed in forest areas adjacent to their boundaries.



# 5. Regulations

# National Environmental Standards for Commercial Forestry (NES-CF) Erosion Susceptibility Classification

The National Environmental Standards for Commercial Forestry are a Resource Management Act regulation. They have replaced most council rules except where the councils may have more stringent rules in accordance with the regulations. The NES-CF applies to forests of greater than 1 hectare, established for commercial reasons and will be harvested.

The regulations are generally based on the Erosion Susceptibility Classification (ESC) of the underlying land. The following table shows the proportion of each forest ESC.

In general, earthworks will need resource consent in orange ESC zone > 25°, and in the green and yellow ESC zones most operations will be permitted subject to meeting the NES-CF regulations. The ESC coverage of Waiohotu is shown in Map 4.

### Productive plantation area (ha) within each ESC Class

| Forest   | Low | Moderate | High | Very High | Very<br>High (8e) | Total |
|----------|-----|----------|------|-----------|-------------------|-------|
| Waiohotu | 4.0 | 9.2      | 2.8  | -         | -                 | 15.9  |

#### **Council RMA Plans**

Waiohotu Forest is within the South Waikato District and the Waikato Region.

The South Waikato District Council and the Waikato Regional Council have their own planning documents and associated rules, developed through public process. Neither the Waikato Regional Council plans nor the South Waikato District Council plan have rules for forestry that are more stringent than the NES-CF.

#### **Consents & authorities held**

There are no current resource consents or Heritage NZ authorities that apply to Waiohotu Forest.



# **Emissions Trading Scheme**

Forests in New Zealand are governed by rules related to New Zealand's Kyoto commitments to reduce the nation's carbon footprint and contribution to associated climate change.

The forest was planted on "Kyoto compliant" land that was not forest as at 31st December 1989 (Waiohotu Forest was established between 1997 and 1999). These forest areas have not been registered to participate in the NZ Emissions Trading Scheme and are not subject to the accrual of emissions credits and liabilities under that scheme.



# 6. Managing environmental risk

#### Assessment of environmental risks

Refer to the Standard FSC Forest Management Plan.

# Infrastructure damage or service disruption

Waiohotu Forest has no public access tracks within the forest and no other infrastructure/community service values.

#### Pests and diseases

Pests and diseases are managed according to statutory obligations and best practices as identified by scientific research and past experience, with the type and intensity of treatment (if any) subject to what is at risk and the age of trees.

#### **Fire**

The forest is within the Ngā Tai ki te Puku Emergency NZ region for forest fire management. The <u>Fire Plan for Waikato 2024 - 2027</u> contains key information regarding the protection of land and management of fires.



# 7. Commercial Plantation Estate

### **Current crop**

Waiohotu Forest is predominantly a radiata pine forest, *Cupressus lucitanica* and *Eucalyptus fastigata*.

| Species              | Area (ha) | Area (%) | Year Planted |
|----------------------|-----------|----------|--------------|
| Pinus radiata        | 15.0      | 94.3     | 1997 - 1999  |
| Cupressus lucitanica | 0.5       | 3.1      | 1997 - 1998  |
| Eucalyptus fastigata | 0.4       | 2.5      | 1998         |

# **Tending**

The tending regime executed to date in Waiohotu forest is thinning and pruning.

### **Tree nutrition**

The soils are not generally deficient in nutrients for healthy tree growth.



# 8. Harvesting Strategy

# Harvesting strategy

Waiohotu Forest will be harvested as closely as possible to the optimum economic age as practical. This is the age at which the growth in volume and improvement in quality is offset by the cost to maintain the forest for another year. The optimum rotation length for radiata pine is expected to be within 25 to 30 years, while the optimum rotation lengths for eucalyptus and cypresses is 20 – 40 years and 35+ years, respectively.

Of importance in this assessment is the actual growth of the tree crop, the market for the wood at the time of the harvest and the outlook for the near future. These factors, together with logistics such as the availability of suitable harvest contractors and the requirements of resource consents, will determine the actual harvest time.

Harvesting is not planned to take place during the 5-year period of this management plan, although this may change depending on the markets, growth (possible inventory) and the landowner's motivations.

#### Infrastructure

The required roading and other infrastructure work for harvesting will be detailed in the Annual Cutting Plan. Forest infrastructure includes roads, tracks, landings, bridges and culverts.

During harvest planning upgrades of existing roads/culverts/bridges and planning for new roads, landings and crossings will be identified and scheduled. The type of infrastructure designed and constructed is influenced by topography, harvest duration and intensity of use.

Once established, these infrastructural assets require maintenance.



# 9. Indigenous Biodiversity

## **Protected ecosystems**

No work is planned in the small terrestrial and wetland ecosystems (except possum control).

The table below details the areas in each protection category within Waiohotu Forest, categorised by protective function

#### Protected ecosystem & reserve areas by protection category

| Protective Function   | Protective | Total Area |      |
|-----------------------|------------|------------|------|
| Protective runction   | Limited    | Passive    | (ha) |
| Terrestrial Ecosystem |            | 0.3        | 0.3  |
| Wetland Ecosystem     | 4.0        |            | 4.0  |
| Total Area (ha)       | 4.0        | 0.3        | 4.3  |

# High Conservation Value (HCV) Forests

To date, no High Conservation Value Forests have been identified.

### **Threatened species**

To date, the only rare species sighted within Waiohotu forest has been two sightings of Dabchicks within the wetland reserve. These birds are classified as Nationally Vulnerable.

iNaturalist<sup>2</sup> (Biodiversity in Plantations) will be used to record sightings of important indigenous fauna or flora discovered in the forest.

### Stream Protection and riparian setbacks

A summary of the stream categories within the Waiohotu Forest is shown below. The total length of waterways within the forest is 5.43 kilometres.

Length of stream by REC class

\_

<sup>&</sup>lt;sup>2</sup> https://www.inaturalist.org/projects/biodiversity-in-plantations



| REC Class           | Length (m) | Length (km) |
|---------------------|------------|-------------|
| VSmall_Low_Wet_Soft | 494.8      | 0.49        |
| Med_Low_Wet_Soft    | 923.2      | 0.92        |
| Large_Low_Wet_Hard  | 594.8      | 0.59        |
| Large_Low_Wet_Soft  | 2,582.8    | 2.58        |
| Small_Low_Wet_Soft  | 652.2      | 0.65        |
| Small_Low_Wet_Hard  | 177.6      | 0.18        |
| Total               | 5,425.4    | 5.43        |

### Fish

No fish species have been identified from the NES-PF Fish Spawning Indictor tool within Waiohotu Forest. The Freshwater Environments New Zealand indicates that brown trout, long fin eel and *Gollum galaxis* may be present.

Key ecological management activities are outlined in Appendix 4.



# 10. Other Special Values: Everything but the timber

### Recreation

Following the intent of the Outdoor Access Code<sup>3</sup>, published by Herenga ā Nuku - Outdoor Access Commission, and any signage / barriers in place within the forest, is expected behaviour.

Closures will also apply during times of high fire risk, any force majeure state and during forestry operations.

Any approved access is managed through the PF Olsen forest access permit system (for areas outside legal public access areas). For information on how to apply for a permit, please contact the PF Olsen Central North Island Office 07 921 1010.

#### **Public access roads**

There is one public road at the western boundary of the farm, but no forest stands near this location. All signage of roads and tracks must be followed and those using the routes require a permit if there is any intention to access the forest from the road routes or across the farm.

These routes remain open to the public, subject to any temporary closures as required for safety, as described above. Temporary closures can only be undertaken in conjunction, and with the authority, of the local Territorial Authority.

Any users are expected to abide by the intent of the Outdoor Access Code<sup>4</sup> published by the Herenga ā Nuku - Outdoor Access Commission, or signage / barriers in place at track or public access points.

-

 $<sup>^3 \ \</sup>underline{\text{https://www.walkingaccess.govt.nz/assets/Publication/Files/Outdoor-Access-Code/Ofcf4d2e5b/Outdoor-Access-Code.pdf}$ 

<sup>&</sup>lt;sup>4</sup> https://www.walkingaccess.govt.nz/assets/Publication/Files/Outdoor-Access-Code/0fcf4d2e5b/Outdoor-Access-Code.pdf



### Other special values

In the regional landscape context, Waiohotu Forest and its indigenous ecosystems in combination provide well-defined 'environmental services'. These include:

- Enhanced water quality, and buffering of regionally significant water bodies from agricultural nitrification;
- Soil stabilisation and conservation;
- Providing a buffer against flooding during storms;
- Temperature moderation in waterways for maintenance of aquatic life including threatened native species and world-renowned sports fisheries;
- Enhance wildlife and plant habitat leading to increased biodiversity;
- Expanded habitat opportunities for some declining and or threatened fauna;
- Carbon sequestration and buffering of the effects from a nationally adverse carbon generation footprint.

Some of these environmental services have quantifiable and significant financial value (e.g. nitrogen and carbon).

Over the term of this plan, the regulatory environment will continue to be actively monitored and where possible efforts made to secure the introduction of properly structured market mechanisms to ensure forestry is not disincentivised, relative to other land uses. Other environmental services will continue to be supplied or enhanced based on good corporate citizenship and responsible environmental management.

#### **Non-Timber Forest Products**

There are no FSC certified non-timber forest products 5 from Waiohotu Forest.

<sup>&</sup>lt;sup>5</sup> In FSC standards, the reference to non-timber forest products is a reference to such products that are able to carry the FSC label. It is not a reference to the presence or absence of other co-products from the forest areas that do not seek to carry the FSC label.



# 11. Future Planning

# Plan changes & reviews


The next major review date for this plan is July 2028.

Minor revisions may be made at any time. Any material changes made will be documented below.

| Change                                       | Date    | Section/Page |
|--|---------|--------------|
| Update Foundation Principle                  | Sept-24 | Page 4       |
| Updated from NES-PF to NES-CF in Regulations | Sept-24 | Page 9       |
| Moved whole FMP to new template              | Sept-24 | Whole plan   |
|  |         |              |
|  |         |              |



# Appendix 1: Forest Map





# **Appendix 2: Forest Neighbours**

Not Publicly Available.



# Appendix 4: Schedule of Ecological Management

### Review Date:

| Activity Type       | Required actions   | Area/s      | Due date    |
|---------------------|--|-------------|-------------|
| iNaturalist Entries | Species and status frequencies (especially new finds) entered by   | Forest Wide | Ongoing     |
|                     | public, crews, operational supervisors                             |             |             |
| Pest Control -      | Use ground control methods as required                             | Forest Wide | As Required |
| Animals             | Coordinate operations with the Regional council and the Department |             |             |
|                     | of Conservation  |             |             |
|                     | Record kill returns, RTC (possum) and RTI (rat).                   |             |             |